



Powerful



Up to 35 pages per minute

Less than 8.5 seconds time to first page

Scalable solutions options

Lexmark

T630



Lexmark T630(n)



Lexmark T630dn

Maximize productivity

Powerful 300 MHz processor

Up to 175,000 pages per month duty cycle

Expanded media-handling options

Improve document workflow

New multifunction options

Direct PDF printing capability

Reduce costs

Compatible supplies across entire product line

Best price/performance in its class

Distributed solution located closer to user replaces large, expensive devices

Powerful workgroup laser printer at an outstanding value.

| | Lexmark T630, T630n, T630dn, T630 VE, T630n VE |
|--------------------------------|--|
| Part Number | US/Canada 10G0100 (T630), 10G0200 (T630n), 10G1200 (T630dn), 10G2100 (T630 VE), 10G2200 (T630n VE) |
| Technology | Monochrome laser |
| Speed | Up to 35 ppm |
| Resolution | 1200 x 1200 dpi, 1200 image quality, 600 x 600 dpi, 300 x 300 dpi |
| Time to First Page | < 8.5 seconds |
| Processor | 300 MHz |
| Memory | |
| Standard | T630, T630 VE: 32MB; T630n, T630dn, T630n VE: 64MB |
| Maximum | T630, T630 VE: 288MB; T630n, T630dn, T630n VE: 320MB |
| Connectivity | |
| Standard | All models: Bidirectional parallel port, USB port and one internal solutions port T630n, T630dn, T630n VE: 10BaseT/100BaseTX Ethernet |
| Optional | All models: MarkNet™ X2000 series of external print servers, RS-232C Serial Interface Card, Parallel 1284-B Interface Card, 802.11b wireless print adapter (with network attachment) T630, T630 VE: MarkNet™ N2000 series of internal print servers |
| Operating Systems | Microsoft Windows XP, 2000, Me, 98, 95, and NT 4.0, Novell, IBM iSeries, UNIX, Linux and Mac OS For a complete list, visit www.lexmark.com |
| Emulations | PostScript 3 emulation, PCL 6 emulation, PPDS Migration Tool |
| Fonts | PostScript 3 emulation, 158 scalable PCL 6 emulation, 84 + 5 scalable – 2 bitmapped PPDS Migration Tool, 39 scalable – 5 bitmapped Additional PCL 5e scalable fonts include: Code 3 of 9, OCR-A, OCR-B |
| Paper Handling | |
| Standard | All models: 250-sheet drawer, 250-sheet output bin T630dn: Duplex unit |
| Optional | All models: 250-sheet tray, 250-sheet drawer, 500-sheet tray, 500-sheet drawer, 2,000-sheet drawer, envelope feeder, 250-sheet output bin, Output expander, high-capacity output stacker, StapleSmart™ finisher |
| Paper Capacity | |
| Standard (in/out) | 350/250 |
| Maximum (in/out) | 3,850/2,750 |
| Paper Sources | |
| Standard (in/out) | 2/1 |
| Maximum (in/out) | 7/4 |
| Multifunction Options | Lexmark 3100 MFP option, Lexmark 3200 MFP option or Lexmark 4500 MFP option |
| Media Types | Plain paper, bond, envelopes, card stock, transparencies, paper labels, dual-web labels, polyester labels, vinyl labels |
| Media Sizes | Letter, legal, A5, JIS B5, statement, executive, universal and folio |
| Media Weights | Plain paper: 16 to 47 lb. (60 to 163 g/m ²); card stock: up to 90 lb. Index (163 g/m ²) |
| Size/Weight (W x D x H) | T630, T630 VE: 16.6 in. x 19.6 in. x 13.6 in. (421 mm x 498 mm x 345 mm)/38 lb. (17 kg) T630n, T630n VE: 16.6 in. x 19.6 in. x 13.6 in. (421 mm x 498 mm x 345 mm)/38 lb. (17 kg) T630dn: 16.6 in. x 25.1 in. x 15.6 in. (421 mm x 638 mm x 396 mm)/49.1 lb. (22.3 kg) |
| Acoustics | 52 dBA printing; 31 dBA idle |
| Supplies¹ | Ships with: T630 VE, T630n VE: 5,000-page Return Program Print Cartridge T630, T630n and T630dn: 21,000-page Return Program Print Cartridge Available supplies: 5,000-page Return Program Print Cartridge 5,000-page Print Cartridge 21,000-page High Yield Return Program Print Cartridge 21,000-page High Yield Cartridge 21,000-page High Yield Return Program Print Cartridge for Labels |
| Duty Cycle | Up to 175,000 pages per month |
| Warranty | 1-year LexExpress sm |

Order Information Chart

| Part No. | UPC | Description |
|-------------------------------|-----------------|--|
| US/Canada | | |
| 10G0100 | 7-34646-53100-9 | Lexmark T630 |
| 10G0200 | 7-34646-53200-6 | Lexmark T630n |
| 10G1200 | 7-34646-53700-1 | Lexmark T630dn |
| 10G2100 | 7-34646-38541-1 | Lexmark T630 VE |
| 10G2200 | 7-34646-38554-1 | Lexmark T630n VE |
| SUPPLIES | | |
| Print Cartridges* | | |
| 12A7360 | 7-34646-11809-5 | 5,000-page Print Cartridge |
| 12A7460 | 7-34646-11812-5 | 5,000-page Return Program Print Cartridge |
| 12A7362 | 7-34646-11810-1 | 21,000-page High Yield Print Cartridge |
| 12A7462 | 7-34646-11813-2 | 21,000-page High Yield Return Program Print Cartridge |
| 12A7468 | 7-34646-11815-6 | 21,000-page High Yield Return Program Print Cartridge for Labels |
| Media and Other | | |
| 70X7240 | 7-34646-03810-2 | Transparencies (Letter) |
| 12A5010 | 7-34646-13899-4 | Transparencies (A4, 50 sheets) |
| 11K3188 | 7-34646-20993-9 | Staple Cartridges |
| 56P1409 | N/A | Routine Maintenance Kit |
| OPTIONS AND FEATURES | | |
| Paper Handling Options | | |
| 11K0681 | 7-34646-28600-8 | 250-Sheet Drawer |
| 11K0688 | 7-34646-28601-5 | 500-Sheet Drawer |
| 11K1059 | 7-34646-28609-1 | 250-Sheet Tray |
| 11K1060 | 7-34646-28610-7 | 500-Sheet Tray |
| 11K0718 | 7-34646-28602-2 | 2000-Sheet Drawer (Letter) |
| 10G0800 | 7-34646-24997-3 | T 250-Sheet Duplex Unit |
| 11K0720 | 7-34646-28604-6 | T Envelope Feeder |
| 11K0723 | 7-34646-28607-7 | T Output Expander |
| 11K1440 | 7-34646-28611-4 | T High-Capacity Output Stacker |
| 11K2800 | 7-34646-24480-0 | T StapleSmart Finisher |
| 11K1878 | 7-34646-28626-8 | 250-Sheet Universally Adjustable Drawer |
| 11K1574 | 7-34646-28625-1 | 250-Sheet Universally Adjustable Tray |
| 11K1942 | 7-34646-39706-3 | 400-Sheet Universally Adjustable Drawer |
| 11K1941 | 7-34646-39707-0 | 400-Sheet Universally Adjustable Tray |
| Memory Options | | |
| 16H0055 | 7-34646-24755-9 | 8MB SDRAM |
| 16H0056 | 7-34646-24756-6 | 16MB SDRAM |
| 16H0057 | 7-34646-24757-3 | 32MB SDRAM |
| 16H0058 | 7-34646-24758-0 | 64MB SDRAM |
| 16H0059 | 7-34646-24759-7 | 128MB SDRAM |
| 11K4616 | 7-34646-12127-9 | 16MB Flash Card |
| 11K4632 | 7-34646-12128-6 | 32MB Flash Card |
| 11K4603 | 7-34646-12125-5 | 20+GB Hard Disk with Adapter |

*Yield is based on approximately 5% print coverage

**Requires one internal solutions port

| Part No. | UPC | Description |
|---------------------------------|-----------------|---|
| APPLICATIONS SOLUTIONS | | |
| Optra Forms Solutions | | |
| 11N0052 | 7-34646-20732-4 | Optra Forms™ Director |
| 11N0040 | 7-34646-20731-7 | Optra Forms Software |
| 11N0056 | 7-34646-30810-6 | Optra Forms Manager |
| 10G0748 | 7-34646-12146-0 | Optra Forms 32MB Flash Card |
| 10G0747 | 7-34646-12145-3 | Optra Forms 16MB Flash Card |
| 43H5841 | 7-34646-17041-3 | Optra Forms 2-Key Security |
| 43H5842 | 7-34646-17042-0 | Optra Forms 3-Key Security |
| 10G0749 | 7-34646-12147-7 | Optra Forms 20+GB Hard Disk with Adapter |
| Other Options | | |
| 10G0155 | 7-34646-12137-8 | T630/T632 ImageQuick™ Card |
| 10G0156 | 7-34646-12138-5 | T630/T632 Bar Code Card |
| 10G0157 | 7-34646-12139-2 | T630/T632 Card for IPDS and SCS/TNe |
| 10G0158 | 7-34646-12140-8 | T630/T632 PrintCryption™ Card |
| CONNECTIVITY | | |
| Internal Print Servers** | | |
| 14S0000 | 7-34646-12115-6 | MarkNet™ N2100t Token-Ring |
| 14S0020 | 7-34646-12116-3 | MarkNet N2101e Ethernet 10/100BaseTX |
| External Print Servers | | |
| 46D0060 | 7-34646-30316-3 | MarkNet X2011e Ethernet 10/100BaseTx – 1-port |
| 46D0040 | 7-34646-30315-6 | MarkNet X2012e Ethernet 10/100BaseTx/10Base2 – 1-port |
| 46D0020 | 7-34646-30357-6 | MarkNet X2031e Ethernet 10/100BaseTx – 3-port |
| 46D0000 | 7-34646-30313-2 | MarkNet X2030t Token-Ring – 3-port |
| OTHER ATTACHMENT OPTIONS | | |
| Adapters | | |
| 11K4601 | 7-34646-12069-2 | Parallel 1284-B Interface Card |
| 11K4602 | 7-34646-12068-5 | RS-232C Serial Interface Card |
| 1368705 | 7-34646-11309-0 | External Serial Adapter |
| 1010025 | 7-34646-11802-6 | 802.11b Wireless Print Adapter |
| 11K4120 | 7-34646-24573-9 | Coax/Twinax Adapters for SCS |
| Cables | | |
| 1329605 | 0-87944-09056-4 | 10-Foot Parallel Printer Cable |
| 12A2405 | 7-34646-18340-6 | 2-Meter USB Printer Cable |
| 1038693 | 7-34646-21649-4 | 50-Foot Serial Printer Cable |
| MULTIFUNCTION SOLUTIONS | | |
| Furniture | | |
| 16C0379 | 7-34646-12084-5 | Low Profile Printer Stand |
| 16C0369 | 7-34646-12083-8 | Printer Stand with Cabinet |
| 16C0389 | 7-34646-12085-2 | Printer Stand |
| 16C0399 | 7-34646-12086-9 | Scanner Stand with Cabinet |
| 16A0503 | 7-34646-26665-9 | T630 Scanner Shelf |
| 10G0080 | 7-34646-38371-4 | Lexmark T Printer Base |
| Multifunction Options | | |
| 20R0020 | 7-34646-38276-2 | Lexmark 3100 MFP Option |
| 20R0080 | 7-34646-38312-7 | Lexmark 3200 MFP Option |
| 16C0100 | 7-34646-37085-1 | Lexmark X4500 MFP Option |



Lexmark, Lexmark with diamond design and MarkNet are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. ImageQuick, PrintCryption Optra Forms and StapleSmart are trademarks of Lexmark International, Inc. LexExpress is a service mark of Lexmark International, Inc. © Copyright 2003. Lexmark International, Inc. All rights reserved.

